

Schema Campaign_finance.xml

schema location: C:\DEV\ce_schema\Campaign_finance.xml
 attribute form default: **unqualified**
 element form default: **qualified**
 targetNamespace: **http://www.state.or.us/sos/ebs2/ce/dataobject**

Elements

[address](#)
[amount](#)
[associated-tran](#)
[campaign-finance-transactions](#)
[contact](#)
[contact-name](#)
[cosigner](#)
[employment](#)
[expend-for](#)
[individual-name](#)
[phone](#)
[transaction](#)

element address

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	street1 street2 city state zip zip-plus4 fgn-post-code country-code county
used by	element contact
source	<pre> <xs:element name="address"> <xs:complexType> <xs:sequence> <xs:element name="street1" minOccurs="0"> <xs:annotation> </pre>


```

<xs:documentation>First Line of the address</xs:documentation>
</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="40"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="street2" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Second line of the address</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="40"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="city" minOccurs="0">
  <xs:annotation>
    <xs:documentation> </xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="state" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="zip" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="5"/>
      <xs:pattern value="\d{5}"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="zip-plus4" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="4"/>
      <xs:pattern value="\d{4}"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="fgn-post-code" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>


```

	<pre> </xs:simpleType> </xs:element> <xs:element name="country-code" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="4"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="county" minOccurs="0"> <xs:annotation> <xs:documentation>The county where a payee is located, if not located in a city.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element address/street1


diagram									
namespace	http://www.state.or.us/sos/eps2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 40								
annotation	documentation First Line of the address								
source	<pre> <xs:element name="street1" minOccurs="0"> <xs:annotation> <xs:documentation>First Line of the address</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="40"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

element address/street2


diagram									
namespace	http://www.state.or.us/sos/eps2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								

facets	maxLength 40
annotation	documentation Second line of the address
source	<pre><xs:element name="street2" minOccurs="0"> <xs:annotation> <xs:documentation>Second line of the address</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="40"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element address/city

diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 100
annotation	documentation
source	<pre><xs:element name="city" minOccurs="0"> <xs:annotation> <xs:documentation> </xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="100"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element address/state

diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	length 2
source	<pre><xs:element name="state" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="2"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **address/zip**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:integer
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	totalDigits 5 pattern \d{5}
source	<pre><xs:element name="zip" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:totalDigits value="5"/> <xs:pattern value="\d{5}"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **address/zip-plus4**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:integer
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	totalDigits 4 pattern \d{4}
source	<pre><xs:element name="zip-plus4" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:totalDigits value="4"/> <xs:pattern value="\d{4}"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **address/fgn-post-code**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 100
source	<pre><xs:element name="fgn-post-code" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="100"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **address/country-code**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 4
source	<pre><xs:element name="country-code" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="4"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **address/country**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 30
annotation	documentation The country where a payee is located, if not located in a city.
source	<pre><xs:element name="country" minOccurs="0"> <xs:annotation> <xs:documentation>The country where a payee is located, if not located in a city.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **amount**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:decimal
properties	content simple
used by	elements cosigner expend-for transaction
source	<pre><xs:element name="amount"> <xs:simpleType> <xs:restriction base="xs:decimal"/> </xs:simpleType> </xs:element></pre>


element **associated-tran**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	id complete
used by	element transaction
source	<pre> <xs:element name="associated-tran"> <xs:complexType> <xs:sequence> <xs:element name="id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="complete"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Y"/> <xs:enumeration value="N"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

element **associated-tran/id**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	minLength 1 maxLength 30
source	<pre> <xs:element name="id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element **associated-tran/complete**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple

facets	enumeration Y enumeration N
source	<pre><xs:element name="complete"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Y"/> <xs:enumeration value="N"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **campaign-finance-transactions**


diagram													
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject												
properties	content complex												
children	contact transaction												
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>filer-id</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	filer-id	xs:positiveInteger	required			
Name	Type	Use	Default	Fixed	Annotation								
filer-id	xs:positiveInteger	required											
annotation	documentation Committee Transactions by contact												
source	<pre><xs:element name="campaign-finance-transactions"> <xs:annotation> <xs:documentation>Committee Transactions by contact</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element ref="contact" minOccurs="0" maxOccurs="2000"> <xs:annotation> <xs:documentation>an individuals, business/organization or committee that has contributed to, been paid by or has a reportable connection with the committee.</xs:documentation> </xs:annotation> </xs:element> <xs:element ref="transaction" maxOccurs="2000"/> </xs:sequence> <xs:attribute name="filer-id" type="xs:positiveInteger" use="required"/> </xs:complexType> </xs:element></pre>												

attribute **campaign-finance-transactions/@filer-id**

type	xs:positiveInteger
properties	isRef 0

	use required
source	<xs:attribute name="filer-id" type="xs:positiveInteger" use="required"/>

element **contact**



namespace	http://www.state.or.us/sos/eps2/ce/dataobject
-----------	---

properties	content complex
------------	-----------------

children	type contact-name address phone email occupation employment
----------	---

used by	element campaign-finance-transactions
---------	---

attributes	Name	Type	Use	Default	Fixed	Annotation
	id	derived by: xs:string	required			

annotation	documentation Individuals, Businesses or Committees that have donated to, been paid by or have a reportable connection with the committee.
------------	---

source	<pre> <xs:element name="contact"> <xs:annotation> <xs:documentation> Individuals, Businesses or Committees that have donated to, been paid by or have a reportable connection with the committee.</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="type"> <xs:annotation> <xs:documentation>Type of contact.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="B"/> <xs:enumeration value="C"/> <xs:enumeration value="F"/> <xs:enumeration value="I"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="contact-name"/> <xs:element name="address"/> <xs:element name="phone"/> <xs:element name="email"/> <xs:element name="occupation"/> <xs:element name="employment"/> </xs:sequence> </xs:complexType> </xs:element> </pre>
--------	--


	<pre> <xs:enumeration value="L"/> <xs:enumeration value="O"/> <xs:enumeration value="P"/> <xs:enumeration value="U"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="contact-name"/> <xs:element ref="address" minOccurs="0"/> <xs:element ref="phone" minOccurs="0"> <xs:annotation> <xs:documentation>The phone numbers for the contact.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="email" minOccurs="0"> <xs:annotation> <xs:documentation>This is the E-Mail address for the contact</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="60"/> <xs:pattern value=".+@[.][.]+"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="occupation" minOccurs="0"> <xs:annotation> <xs:documentation>Nature of an individual's primary job or business.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="100"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="employment" minOccurs="0"/> </xs:sequence> <xs:attribute name="id" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </pre>
--	---

attribute **contact/@id**


type	restriction of xs:string
properties	isRef 0 use required
facets	minLength 1 maxLength 30
source	<pre> <xs:attribute name="id" use="required"> <xs:simpleType> <xs:restriction base="xs:string"> </pre>

	<pre> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>
--	--

element **contact/type**


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	enumeration B enumeration C enumeration F enumeration I enumeration L enumeration O enumeration P enumeration U
annotation	documentation Type of contact.
source	<pre> <xs:element name="type"> <xs:annotation> <xs:documentation>Type of contact.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="B"/> <xs:enumeration value="C"/> <xs:enumeration value="F"/> <xs:enumeration value="I"/> <xs:enumeration value="L"/> <xs:enumeration value="O"/> <xs:enumeration value="P"/> <xs:enumeration value="U"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element **contact/email**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 60 pattern .+@[.]+.+
annotation	documentation This is the E-Mail address for the contact
source	<pre> <xs:element name="email" minOccurs="0"> <xs:annotation> <xs:documentation>This is the E-Mail address for the contact</xs:documentation> </xs:annotation> </pre>

	<pre> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="60"/> <xs:pattern value=".+@.+[.].+/"> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	--

element **contact/occupation**


diagram									
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 100								
annotation	documentation Nature of an individual's primary job or business.								
source	<pre> <xs:element name="occupation" minOccurs="0"> <xs:annotation> <xs:documentation>Nature of an individual's primary job or business.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="100"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

element **contact-name**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	individual-name business-name committee
used by	element contact
source	<pre> <xs:element name="contact-name"> <xs:complexType> <xs:choice> <xs:element ref="individual-name"/> </pre>


	<pre> <xs:sequence> <xs:element name="business-name"> <xs:annotation> <xs:documentation>The business or organization name.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="individual-name" minOccurs="0"/> </xs:sequence> <xs:element name="committee"> <xs:annotation> <xs:documentation>The committee number for a state registered committee or the committee name for non-state registered committee.</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="id" type="xs:positiveInteger"> <xs:annotation> <xs:documentation>Committee ID</xs:documentation> </xs:annotation> </xs:element> <xs:element name="name"> <xs:annotation> <xs:documentation>Committee Name</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:choice> </xs:complexType> </xs:element> </xs:choice> </xs:complexType> </xs:element> </pre>
--	---

element **contact-name/business-name**


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	maxLength 60
annotation	documentation The business or organization name.
source	<pre> <xs:element name="business-name"> <xs:annotation> <xs:documentation>The business or organization name.</xs:documentation> </pre>

	<pre> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---

element contact-name/committee


diagram	 <p>The committee number for a state registered committee or the committee name for non-state registered committee.</p>
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
properties	isRef 0 content complex
children	id name
annotation	documentation The committee number for a state registered committee or the committee name for non-state registered committee.
source	<pre> <xs:element name="committee"> <xs:annotation> <xs:documentation>The committee number for a state registered committee or the committee name for non-state registered committee.</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="id" type="xs:positiveInteger"> <xs:annotation> <xs:documentation>Committee ID</xs:documentation> </xs:annotation> </xs:element> <xs:element name="name"> <xs:annotation> <xs:documentation>Committee Name</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:choice> </xs:complexType> </xs:element> </pre>

element contact-name/committee/id


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	xs:positiveInteger
properties	isRef 0 content simple

annotation	documentation Committee ID
source	<pre><xs:element name="id" type="xs:positiveInteger"> <xs:annotation> <xs:documentation>Committee ID</xs:documentation> </xs:annotation> </xs:element></pre>

element **contact-name/committee/name**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	maxLength 80
annotation	documentation Committee Name
source	<pre><xs:element name="name"> <xs:annotation> <xs:documentation>Committee Name</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **cosigner**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	contact-id amount
used by	element transaction
source	<pre><xs:element name="cosigner"> <xs:complexType> <xs:sequence> <xs:element name="contact-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="amount"/> </xs:sequence> </xs:complexType> </xs:element></pre>

element **cosigner/contact-id**


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	minLength 1 maxLength 30
source	<pre><xs:element name="contact-id"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **employment**


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	not-employed self-employed employer-name city state
used by	element contact
source	<pre><xs:element name="employment"> <xs:complexType> <xs:choice> <xs:element name="not-employed" type="xs:string" fixed="Yes"> <xs:annotation> <xs:documentation>Identifies the contact as not employed.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="self-employed" type="xs:string" fixed="Yes"> <xs:annotation> <xs:documentation>Identifies the contact as self-employed.</xs:documentation> </xs:annotation> </xs:element> <xs:sequence></pre>

	<pre> <xs:element name="employer-name"> <xs:annotation> <xs:documentation>The name of the individuals employer</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="city" minOccurs="0"> <xs:annotation> <xs:documentation>The city where the employer is located.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="40"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="state" minOccurs="0"> <xs:annotation> <xs:documentation>The state where the employer is located.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="2"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:choice> </xs:complexType> </xs:element> </pre>
--	---


element **employment/not-employed**

diagram							
namespace	http://www.state.or.us/sos/ebis2/ce/dataobject						
type	xs:string						
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> <tr> <td>fixed</td> <td>Yes</td> </tr> </table>	isRef	0	content	simple	fixed	Yes
isRef	0						
content	simple						
fixed	Yes						
annotation	documentation Identifies the contact as not employed.						
source	<pre> <xs:element name="not-employed" type="xs:string" fixed="Yes"> <xs:annotation> <xs:documentation>Identifies the contact as not employed.</xs:documentation> </xs:annotation> </xs:element> </pre>						


element **employment/self-employed**

diagram	 <p>Identifies the contact as self-employed.</p>						
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject						
type	xs:string						
properties	<table border="0"> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> <tr> <td>fixed</td> <td>Yes</td> </tr> </table>	isRef	0	content	simple	fixed	Yes
isRef	0						
content	simple						
fixed	Yes						
annotation	documentation Identifies the contact as self-employed.						
source	<pre><xs:element name="self-employed" type="xs:string" fixed="Yes"> <xs:annotation> <xs:documentation>Identifies the contact as self-employed.</xs:documentation> </xs:annotation> </xs:element></pre>						

element **employment/employer-name**


diagram	 <p>The name of the individuals employer</p>				
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject				
type	restriction of xs:string				
properties	<table border="0"> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	isRef	0	content	simple
isRef	0				
content	simple				
facets	<table border="0"> <tr> <td>maxLength</td> <td>80</td> </tr> </table>	maxLength	80		
maxLength	80				
annotation	documentation The name of the individuals employer				
source	<pre><xs:element name="employer-name"> <xs:annotation> <xs:documentation>The name of the individuals employer</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element></pre>				

element **employment/city**


diagram	 <p>The city where the employer is located.</p>								
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	restriction of xs:string								
properties	<table border="0"> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="0"> <tr> <td>maxLength</td> <td>40</td> </tr> </table>	maxLength	40						
maxLength	40								
annotation	documentation The city where the employer is located.								
source	<pre><xs:element name="city" minOccurs="0"> <xs:annotation> <xs:documentation>The city where the employer is located.</xs:documentation> </xs:annotation> <xs:simpleType></pre>								

	<pre> <xs:restriction base="xs:string"> <xs:maxLength value="40"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	--

element **employment/state**


diagram									
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	restriction of xs:string								
properties	<table border="0"> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	length 2								
annotation	documentation The state where the employer is located.								
source	<pre> <xs:element name="state" minOccurs="0"> <xs:annotation> <xs:documentation>The state where the employer is located.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="2"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

element **expend-for**


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	committee-id committee-name committee-type amount expend-ind support-ind
used by	element transaction
source	<pre> <xs:element name="expend-for"> <xs:complexType> <xs:sequence> <xs:choice> <xs:element name="committee-id" type="xs:positiveInteger"/> <xs:element name="committee-name"> </pre>

	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:choice> <xs:element name="committee-type" default="C" minOccurs="0"> <xs:annotation> <xs:documentation>committee-type values are C = Committee (default), M = Measure, R = Recall</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="C"/> <xs:enumeration value="M"/> <xs:enumeration value="R"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element ref="amount"/> <xs:element name="expend-ind"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="I"/> <xs:enumeration value="K"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="support-ind" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Y"/> <xs:enumeration value="N"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element **expend-for/committee-id**


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	xs:positiveInteger
properties	isRef 0 content simple
source	<xs:element name="committee-id" type="xs:positiveInteger"/>

element **expend-for/committee-name**


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0

	content simple
facets	maxLength 80
source	<pre><xs:element name="committee-name"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="80"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **expend-for/committee-type**

diagram	 <p>committee-type values are C = Committee (default), M = Measure, R = Recall</p>
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	<pre>isRef 0 minOcc 0 maxOcc 1 content simple default C</pre>
facets	<pre>enumeration C enumeration M enumeration R</pre>
annotation	<pre>documentation committee-type values are C = Committee (default), M = Measure, R = Recall</pre>
source	<pre><xs:element name="committee-type" default="C" minOccurs="0"> <xs:annotation> <xs:documentation>committee-type values are C = Committee (default), M = Measure, R = Recall</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="C"/> <xs:enumeration value="M"/> <xs:enumeration value="R"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element **expend-for/expend-ind**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	<pre>isRef 0 content simple</pre>
facets	<pre>enumeration I enumeration K</pre>
source	<pre><xs:element name="expend-ind"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="I"/> <xs:enumeration value="K"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **support-ind**


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	enumeration Y enumeration N
source	<pre><xs:element name="support-ind" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="Y"/> <xs:enumeration value="N"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **individual-name**


diagram	 <p>The contacts working title</p>
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
properties	content complex
children	prefix first middle last suffix title
used by	elements contact-name contact-name
source	<pre><xs:element name="individual-name"> <xs:complexType> <xs:sequence> <xs:element name="prefix" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="3"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="first"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>

	<pre> <xs:element name="middle" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="last"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="suffix" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="3"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="title" minOccurs="0"> <xs:annotation> <xs:documentation>The contacts working title</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element individual-name/prefix


diagram									
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 3								
source	<pre> <xs:element name="prefix" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="3"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

element individual-name/first


diagram	
---------	---

namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	maxLength 20
source	<pre><xs:element name="first"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element individual-name/middle

diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 20
source	<pre><xs:element name="middle" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element individual-name/last


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	maxLength 20
source	<pre><xs:element name="last"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element individual-name/suffix


diagram	
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 3
source	<pre><xs:element name="suffix" minOccurs="0"></pre>

	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="3"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---

element individual-name/title


diagram									
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 20								
annotation	documentation The contacts working title								
source	<pre> <xs:element name="title" minOccurs="0"> <xs:annotation> <xs:documentation>The contacts working title</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

element phone

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
properties	content complex
children	work work-extension home fax
used by	element contact
annotation	documentation This is the phone number for the contact
source	<pre> <xs:element name="phone"> <xs:annotation> <xs:documentation>This is the phone number for the contact</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="work" minOccurs="0"> </pre>


	<pre> <xs:annotation> <xs:documentation>the format was \d{3}-\d{3}-\d{4}(\sExt\s[0- 9999999])?</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="10"/> <xs:maxLength value="15"/> <xs:whiteSpace value="collapse"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="work-extension" minOccurs="0"> <xs:annotation> <xs:documentation>This is the extension number for the work phone</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="5"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="home" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="10"/> <xs:maxLength value="15"/> <xs:whiteSpace value="collapse"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="fax" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="10"/> <xs:maxLength value="15"/> <xs:whiteSpace value="collapse"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	--

element phone/work


diagram	 <p>the format was \d{3}-\d{3}-\d{4}(\sExt\s[0-999999])?</p>
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minLength 10 maxLength 15

	whiteSpace collapse
annotation	documentation the format was \d{3}-\d{3}-\d{4}(\sExt\s[0-9999999])?
source	<pre> <xs:element name="work" minOccurs="0"> <xs:annotation> <xs:documentation>the format was \d{3}-\d{3}-\d{4}(\sExt\s[0-9999999])?</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="10"/> <xs:maxLength value="15"/> <xs:whiteSpace value="collapse"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element phone/work-extension


diagram									
namespace	http://www.state.or.us/sos/eps2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 5								
annotation	documentation This is the extension number for the work phone								
source	<pre> <xs:element name="work-extension" minOccurs="0"> <xs:annotation> <xs:documentation>This is the extension number for the work phone</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="5"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

element phone/home


diagram									
namespace	http://www.state.or.us/sos/eps2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	<table> <tr><td>minLength</td><td>10</td></tr> <tr><td>maxLength</td><td>15</td></tr> <tr><td>whiteSpace</td><td>collapse</td></tr> </table>	minLength	10	maxLength	15	whiteSpace	collapse		
minLength	10								
maxLength	15								
whiteSpace	collapse								
source	<pre> <xs:element name="home" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="10"/> <xs:maxLength value="15"/> <xs:whiteSpace value="collapse"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>								

	<pre> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---

element **phone/fax**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	<pre> isRef 0 minOcc 0 maxOcc 1 content simple </pre>
facets	<pre> minLength 10 maxLength 15 whiteSpace collapse </pre>
source	<pre> <xs:element name="fax" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="10"/> <xs:maxLength value="15"/> <xs:whiteSpace value="collapse"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element **transaction**



namespace	http://www.state.or.us/sos/ebs2/ce/dataobject					
properties	content complex					
children	operation contact-id agent-id expend-id type sub-type tran-purpose description amount aggregate-amount payment-method date check-no interest-rate payment-schedule occupation-letter-date notes cosigner expend-for-associated-tran					
used by	element	campaign-finance-transactions				
attributes	Name	Type	Use	Default	Fixed	Annotation
	id	derived by: xs:string	required			documentation vendor transaction id. This is the Uique ID for the transaction
source	<pre> <xs:element name="transaction"> <xs:complexType> <xs:sequence> <xs:element name="operation"> <xs:annotation> <xs:documentation>The operation that the transaction is performing.</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="add" type="xs:boolean"> <xs:annotation> <xs:documentation>submit a transaction</xs:documentation> </xs:annotation> </xs:element> <xs:element name="amend"> <xs:annotation> <xs:documentation>amend a pre submitted transaction.</xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:boolean"/> </xs:simpleContent> </xs:complexType> </xs:element> <xs:element name="delete"> <xs:annotation> <xs:documentation>delete a pre submitted transaction</xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:boolean"/> </xs:simpleContent> </xs:complexType> </xs:element> </xs:choice> </xs:complexType> </xs:element> <xs:element name="contact-id" minOccurs="0"> <xs:annotation> <xs:documentation>payee id / contributor id</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>					

```

</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="agent-id" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Agent Id from Address Book</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="expend-id" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Personal Expenditure Id from Address Book</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="type">
  <xs:annotation>
    <xs:documentation>The general category of the transaction.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="C"/>
      <xs:enumeration value="E"/>
      <xs:enumeration value="OR"/>
      <xs:enumeration value="OD"/>
      <xs:enumeration value="OA"/>
      <xs:enumeration value="O"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="sub-type">
  <xs:annotation>
    <xs:documentation>The specific category of the transaction; the subtype must be related to
the type.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="CA"/>
      <xs:enumeration value="IK"/>
      <xs:enumeration value="IKP"/>
      <xs:enumeration value="IKA"/>
      <xs:enumeration value="NLR"/>
      <xs:enumeration value="PL"/>
      <xs:enumeration value="PI"/>
      <xs:enumeration value="PC"/>
      <xs:enumeration value="ELR"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:enumeration value="FM"/>
<xs:enumeration value="IN"/>
<xs:enumeration value="OM"/>
<xs:enumeration value="RF"/>
<xs:enumeration value="LC"/>
<xs:enumeration value="OR"/>
<xs:enumeration value="AE"/>
<xs:enumeration value="PE"/>
<xs:enumeration value="CE"/>
<xs:enumeration value="AP"/>
<xs:enumeration value="NLP"/>
<xs:enumeration value="ELP"/>
<xs:enumeration value="NP"/>
<xs:enumeration value="RT"/>
<xs:enumeration value="UIP"/>
<xs:enumeration value="UCP"/>
<xs:enumeration value="ULP"/>
<xs:enumeration value="NLF"/>
<xs:enumeration value="APR"/>
<xs:enumeration value="OMD"/>
<xs:enumeration value="CBA"/>
<xs:enumeration value="PEA"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="tran-purpose" minOccurs="0" maxOccurs="unbounded">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="A"/>
      <xs:enumeration value="B"/>
      <xs:enumeration value="C"/>
      <xs:enumeration value="E"/>
      <xs:enumeration value="F"/>
      <xs:enumeration value="G"/>
      <xs:enumeration value="H"/>
      <xs:enumeration value="I"/>
      <xs:enumeration value="L"/>
      <xs:enumeration value="M"/>
      <xs:enumeration value="N"/>
      <xs:enumeration value="O"/>
      <xs:enumeration value="P"/>
      <xs:enumeration value="R"/>
      <xs:enumeration value="S"/>
      <xs:enumeration value="T"/>
      <xs:enumeration value="U"/>
      <xs:enumeration value="W"/>
      <xs:enumeration value="X"/>
      <xs:enumeration value="Y"/>
      <xs:enumeration value="Z"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="description" minOccurs="0">
  <xs:annotation>
    <xs:documentation>A written description of the purpose of the
transaction.</xs:documentation>

```



```

</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="200"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element ref="amount">
  <xs:annotation>
    <xs:documentation>The dollar value of the transaction.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="aggregate-amount" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The total amount of contributions or expenditures for a contributor or
payee.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:decimal"/>
  </xs:simpleType>
</xs:element>
<xs:element name="payment-method" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The method in which payment was made.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="CHK"/>
      <xs:enumeration value="ACH"/>
      <xs:enumeration value="EFT"/>
      <xs:enumeration value="DC"/>
      <xs:enumeration value="CC"/>
      <xs:enumeration value="CA"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="date" type="xs:date">
  <xs:annotation>
    <xs:documentation>The date the transaction occurred. This is not the date the transaction
was entered into the system.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="check-no" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The number of the check.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:maxInclusive value="999999999999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="interest-rate" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The interest rate of the loan.</xs:documentation>
  </xs:annotation>

```

```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:maxLength value="30"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="payment-schedule" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The repayment schedule for the loan.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="occupation-letter-date" type="xs:date" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The date a letter was sent requesting a contributor's occupational
information.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="notes" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Additional information about the transaction.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="1000"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element ref="cosigner" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>A person who guarantees a laon of monetary value and is considered
a contributor until the loan is paid.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element ref="expend-for" minOccurs="0" maxOccurs="unbounded"/>
<xs:element ref="associated-tran" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>Identifies all transactions that are associated with this transaction and
if the association completes the original transaction.</xs:documentation>
  </xs:annotation>
</xs:element>
</xs:sequence>
<xs:attribute name="id" use="required">
  <xs:annotation>
    <xs:documentation>vendor transaction id. This is the Uique ID for the
transaction</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="30"/>
    </xs:restriction>

```

	<pre> </xs:simpleType> </xs:attribute> </xs:complexType> </xs:element> </pre>
--	---

attribute **transaction/@id**


type	restriction of xs:string
properties	isRef 0 use required
facets	minLength 1 maxLength 30
annotation	documentation vendor transaction id. This is the Uique ID for the transaction
source	<pre> <xs:attribute name="id" use="required"> <xs:annotation> <xs:documentation>vendor transaction id. This is the Uique ID for the transaction</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:attribute> </pre>

element **transaction/operation**


diagram	
namespace	http://www.state.or.us/sos/eb2/ce/dataobject
properties	isRef 0 content complex
children	add amend delete
annotation	documentation The operation that the transaction is performing.
source	<pre> <xs:element name="operation"> <xs:annotation> <xs:documentation>The operation that the transaction is performing.</xs:documentation> </xs:annotation> <xs:complexType> <xs:choice> <xs:element name="add" type="xs:boolean"> <xs:annotation> <xs:documentation>submit a transaction</xs:documentation> </xs:annotation> </xs:element> <xs:element name="amend"> <xs:annotation> <xs:documentation>amend a pre submitted transaction.</xs:documentation> </xs:annotation> </xs:element> </xs:choice> </xs:complexType> </xs:element> </pre>

	<pre> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:boolean"/> </xs:simpleContent> </xs:complexType> </xs:element> <xs:element name="delete"> <xs:annotation> <xs:documentation>delete a pre submitted transaction</xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:boolean"/> </xs:simpleContent> </xs:complexType> </xs:element> </xs:choice> </xs:complexType> </xs:element> </pre>
--	--


element transaction/operation/add

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	xs:boolean
properties	isRef 0 content simple
annotation	documentation submit a transaction
source	<pre> <xs:element name="add" type="xs:boolean"> <xs:annotation> <xs:documentation>submit a transaction</xs:documentation> </xs:annotation> </xs:element> </pre>


element transaction/operation/amend

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	extension of xs:boolean
properties	isRef 0 content complex
annotation	documentation amend a pre submitted transaction.
source	<pre> <xs:element name="amend"> <xs:annotation> <xs:documentation>amend a pre submitted transaction.</xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:boolean"/> </xs:simpleContent> </xs:complexType> </xs:element> </pre>


element **transaction/operation/delete**

diagram	 delete a pre submitted transaction
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	extension of xs:boolean
properties	isRef 0 content complex
annotation	documentation delete a pre submitted transaction
source	<pre><xs:element name="delete"> <xs:annotation> <xs:documentation>delete a pre submitted transaction</xs:documentation> </xs:annotation> <xs:complexType> <xs:simpleContent> <xs:extension base="xs:boolean"/> </xs:simpleContent> </xs:complexType> </xs:element></pre>

element **transaction/contact-id**


diagram	 payee id / contributor id
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minLength 1 maxLength 30
annotation	documentation payee id / contributor id
source	<pre><xs:element name="contact-id" minOccurs="0"> <xs:annotation> <xs:documentation>payee id / contributor id</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element **transaction/agent-id**


diagram	 Agent Id from Address Book
namespace	http://www.state.or.us/sos/eps2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple

facets	minLength 1 maxLength 30
annotation	documentation Agent Id from Address Book
source	<pre><xs:element name="agent-id" minOccurs="0"> <xs:annotation> <xs:documentation>Agent Id from Address Book</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element transaction/expend-id


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minLength 1 maxLength 30
annotation	documentation Personal Expenditure Id from Address Book
source	<pre><xs:element name="expend-id" minOccurs="0"> <xs:annotation> <xs:documentation>Personal Expenditure Id from Address Book</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element transaction/type

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	enumeration C enumeration E enumeration OR enumeration OD enumeration OA enumeration O
annotation	documentation The general category of the transaction.

source	<pre> <xs:element name="type"> <xs:annotation> <xs:documentation>The general category of the transaction.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="C"/> <xs:enumeration value="E"/> <xs:enumeration value="OR"/> <xs:enumeration value="OD"/> <xs:enumeration value="OA"/> <xs:enumeration value="O"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--------	--

element transaction/sub-type

diagram	 <p>The specific category of the transaction; the subtype must be related to the type.</p>
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 content simple
facets	<ul style="list-style-type: none"> enumeration CA enumeration IK enumeration IKP enumeration IKA enumeration NLR enumeration PL enumeration PI enumeration PC enumeration ELR enumeration FM enumeration IN enumeration OM enumeration RF enumeration LC enumeration OR enumeration AE enumeration PE enumeration CE enumeration AP enumeration NLP enumeration ELP enumeration NP enumeration RT enumeration UIP enumeration UCP enumeration ULP enumeration NLF enumeration APR enumeration OMD enumeration CBA enumeration PEA
annotation	<p>documentation</p> <p>The specific category of the transaction; the subtype must be related to the type.</p>
source	<pre> <xs:element name="sub-type"> <xs:annotation> <xs:documentation>The specific category of the transaction; the subtype must be related to the type.</xs:documentation> </pre>

```

</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:enumeration value="CA"/>
    <xs:enumeration value="IK"/>
    <xs:enumeration value="IKP"/>
    <xs:enumeration value="IKA"/>
    <xs:enumeration value="NLR"/>
    <xs:enumeration value="PL"/>
    <xs:enumeration value="PI"/>
    <xs:enumeration value="PC"/>
    <xs:enumeration value="ELR"/>
    <xs:enumeration value="FM"/>
    <xs:enumeration value="IN"/>
    <xs:enumeration value="OM"/>
    <xs:enumeration value="RF"/>
    <xs:enumeration value="LC"/>
    <xs:enumeration value="OR"/>
    <xs:enumeration value="AE"/>
    <xs:enumeration value="PE"/>
    <xs:enumeration value="CE"/>
    <xs:enumeration value="AP"/>
    <xs:enumeration value="NLP"/>
    <xs:enumeration value="ELP"/>
    <xs:enumeration value="NP"/>
    <xs:enumeration value="RT"/>
    <xs:enumeration value="UIP"/>
    <xs:enumeration value="UCP"/>
    <xs:enumeration value="ULP"/>
    <xs:enumeration value="NLF"/>
    <xs:enumeration value="APR"/>
    <xs:enumeration value="OMD"/>
    <xs:enumeration value="CBA"/>
    <xs:enumeration value="PEA"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>


```

element **transaction/tran-purpose**

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc unbounded content simple
facets	enumeration A enumeration B enumeration C enumeration E enumeration F enumeration G enumeration H enumeration I enumeration L enumeration M enumeration N


	<pre> enumeration O enumeration P enumeration R enumeration S enumeration T enumeration U enumeration W enumeration X enumeration Y enumeration Z </pre>
source	<pre> <xs:element name="tran-purpose" minOccurs="0" maxOccurs="unbounded"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="A"/> <xs:enumeration value="B"/> <xs:enumeration value="C"/> <xs:enumeration value="E"/> <xs:enumeration value="F"/> <xs:enumeration value="G"/> <xs:enumeration value="H"/> <xs:enumeration value="I"/> <xs:enumeration value="L"/> <xs:enumeration value="M"/> <xs:enumeration value="N"/> <xs:enumeration value="O"/> <xs:enumeration value="P"/> <xs:enumeration value="R"/> <xs:enumeration value="S"/> <xs:enumeration value="T"/> <xs:enumeration value="U"/> <xs:enumeration value="W"/> <xs:enumeration value="X"/> <xs:enumeration value="Y"/> <xs:enumeration value="Z"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element transaction/description


diagram	 <p>A written description of the purpose of the transaction.</p>
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	<pre> isRef 0 minOcc 0 maxOcc 1 content simple </pre>
facets	maxLength 200
annotation	<pre> documentation A written description of the purpose of the transaction. </pre>
source	<pre> <xs:element name="description" minOccurs="0"> <xs:annotation> <xs:documentation>A written description of the purpose of the transaction.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> </pre>

	<pre><xs:maxLength value="200"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
--	---

element transaction/aggregate-amount


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:decimal
properties	<pre>isRef 0 minOcc 0 maxOcc 1 content simple</pre>
annotation	<p>documentation</p> <p>The total amount of contributions or expenditures for a contributor or payee.</p>
source	<pre><xs:element name="aggregate-amount" minOccurs="0"> <xs:annotation> <xs:documentation>The total amount of contributions or expenditures for a contributor or payee.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:decimal"/> </xs:simpleType> </xs:element></pre>

element transaction/payment-method


diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	<pre>isRef 0 minOcc 0 maxOcc 1 content simple</pre>
facets	<pre>enumeration CHK enumeration ACH enumeration EFT enumeration DC enumeration CC enumeration CA</pre>
annotation	<p>documentation</p> <p>The method in which payment was made.</p>
source	<pre><xs:element name="payment-method" minOccurs="0"> <xs:annotation> <xs:documentation>The method in which payment was made.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="CHK"/> <xs:enumeration value="ACH"/> <xs:enumeration value="EFT"/> <xs:enumeration value="DC"/> <xs:enumeration value="CC"/> <xs:enumeration value="CA"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

	<pre> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---


element transaction/date

diagram	 <p>The date the transaction occurred. This is not the date the transaction was entered into the system.</p>
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	xs:date
properties	isRef 0 content simple
annotation	documentation The date the transaction occurred. This is not the date the transaction was entered into the system.
source	<pre> <xs:element name="date" type="xs:date"> <xs:annotation> <xs:documentation>The date the transaction occurred. This is not the date the transaction was entered into the system.</xs:documentation> </xs:annotation> </xs:element> </pre>

element transaction/check-no


diagram	 <p>The number of the check.</p>
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:integer
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxInclusive 999999999999
annotation	documentation The number of the check.
source	<pre> <xs:element name="check-no" minOccurs="0"> <xs:annotation> <xs:documentation>The number of the check.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:maxInclusive value="999999999999"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>

element transaction/interest-rate


diagram	 <p>The interest rate of the loan.</p>
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 30
annotation	documentation

	The interest rate of the loan.
source	<pre><xs:element name="interest-rate" minOccurs="0"> <xs:annotation> <xs:documentation>The interest rate of the loan.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element transaction/payment-schedule

diagram									
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	restriction of xs:string								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	maxLength 30								
annotation	documentation The repayment schedule for the loan.								
source	<pre><xs:element name="payment-schedule" minOccurs="0"> <xs:annotation> <xs:documentation>The repayment schedule for the loan.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType> </xs:element></pre>								

element transaction/occupation-letter-date

diagram									
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject								
type	xs:date								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
annotation	documentation The date a letter was sent requesting a contributor's occupational information.								
source	<pre><xs:element name="occupation-letter-date" type="xs:date" minOccurs="0"> <xs:annotation> <xs:documentation>The date a letter was sent requesting a contributor's occupational information.</xs:documentation> </xs:annotation> </xs:element></pre>								

element transaction/notes

diagram	
namespace	http://www.state.or.us/sos/ebs2/ce/dataobject
type	restriction of xs:string
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 1000
annotation	documentation Additional information about the transaction.
source	<pre> <xs:element name="notes" minOccurs="0"> <xs:annotation> <xs:documentation>Additional information about the transaction.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="1000"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>